



NOR-ELECTRIC




BULLETIN

ILLUMINATION

# FOSTORIA LOCALITES



LESS  
WASTAGE




INCREASED  
PRODUCTION



FEWER  
ACCIDENTS




IMPROVED  
EMPLOYEE  
MORAL





## ENCLOSED JOINT TYPE FLEXIBLE ARM MODELS

C.S.A. APPROVED




### GENERAL SPECIFICATIONS

Instantly adjustable arms with new type Adjusta-tension joints with tension adjustable to suit the job and the worker. All wiring fully enclosed. Reflectors are as listed on individual model specifications. Keyless porcelain lamp socket. Base mounts on 4" round or octagonal outlet box or on any flat surface. Toggle switch in base. Vista green color, matte finish baked enamel, infra-red baked. Units supplied completely wired and short leads for connection at outlet box.

### "HX" TYPE REFLECTOR GROUP

Reflector depth 3", orifice 5"x3 3/8". Reflector rotates 360°. Light distribution — medium asymmetric. Interior finish — high temperature, highly reflective white baked enamel. Accommodates all medium screw base lamps from 15 watts through 100 watt A-21.




**MODEL 09-HX-412**

Ideal for lighting many operations where short arm is desired. Two joints. Overall length 24 1/2".


### "PX" TYPE REFLECTOR GROUP

Reflector depth 4 1/4", orifice diameter 6-9/16". Light distribution — wide. Interior finish — high temperature, highly reflective white. Accommodates all medium screw base lamps from 15 watts through 100 watt A-21.




**MODEL 09-PX-412**

Same features as model 09-HX-412 except larger reflector. Two joints. Overall length 26 3/8".



**MODEL 099-HX-412**

Popular longer arm model. Three joints. Overall length 33 3/8".




**MODEL 099-PX-412**

Same features as model 099-HX-412 except larger reflector. Three joints. Overall length 35 1/2".



## FLEXIBLE TUBE ARM MODELS

C.S.A. APPROVED




All  
Wiring  
Fully  
Enclosed

### GENERAL SPECIFICATIONS

Strong flexible tubing arm, instantly adjustable to any position. All wiring fully enclosed. Reflectors are as listed on individual model specifications. Porcelain lamp socket. Base mounts on 4" round or octagonal outlet box or on any flat surface. Toggle switch in base. Vista green color, matte finish baked enamel, infra-red baked. Units supplied completely wired and short leads for connection at outlet box.

### "HX" TYPE REFLECTOR GROUP

Reflector depth 3", orifice 5"x3 3/8". Reflector rotates 360°. Light distribution — medium asymmetric. Interior finish — high temperature, highly reflective white baked enamel. Accommodates all medium screw base lamps from 15 watts through 100 watt A-21.




**MODEL 12-HX-400**

For small machine tools, etc., requiring short arm. Overall length 20 1/2".


### "PX" TYPE REFLECTOR GROUP

Reflector depth 4 1/4", orifice diameter 6-9/16". Light distribution — wide. Interior finish — high temperature, highly reflective white. Accommodates all medium screw base lamps from 15 watts through 100 watt A-21.




**MODEL 12-PX-400**

Same as model 12-HX-400 except larger reflector. Overall length 22 1/2".



**MODEL 18-HX-400**

Same as Model 12-HX-400 except longer arm. Overall length 26 1/2".




**MODEL 18-PX-400**


Same as model 12-PX-400 except longer arm. Overall length 28 1/2".



FOR YOUR SPECIFIC REQUIREMENTS — WRITE FOR ILLUSTRATED BULLETINS  
DEPT. 65 • 1600 NOTRE DAME ST. WEST • MONTREAL



**LAMPS**  
•  
**INDUSTRIAL LIGHTING**  
•  
**COMMERCIAL LIGHTING**  
•  
**FLOOD LIGHTING**  
•  
**STREET LIGHTING**  
•  
**RESIDENTIAL LIGHTING**



OTHER BULLETINS IN THE INDUSTRIAL LIGHTING SERIES



**Northern Electric**  
COMPANY LIMITED

HALIFAX MONCTON QUEBEC CHICOUTIMI THREE RIVERS SHERBROOKE MONTREAL OTTAWA VAL D'OR  
KINGSTON TORONTO HAMILTON LONDON WINDSOR KIRKLAND LAKE TIMMINS SUDBURY  
FORT WILLIAM WINNIPEG REGINA LETHBRIDGE CALGARY EDMONTON VERNON VANCOUVER VICTORIA